## **EAST Search History**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"10583410"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 09:30
L2	2	"6372835"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 10:05
L3	3	"6541123"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 10:08
S1	43217	organic near resin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 15:56
<b>S</b> 2	9706	S1 and (flame or fire or heat) and (retardant or resistant or proof)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 15:57
S3	288	S2 and graft near (polymer or polymerization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 15:58
<b>S</b> 4	148	S3 and hydroxide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 16:12

<b>S</b> 5	145	S4 and ((styrene or polystyrene) or (olefin or \$5ethylene or \$5propylene))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 16:14
S6	73	S5 and ((aluminum hydroxide) or (magnesium hydroxide) or (calcium hydroxide))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/19 16:15
S7	1317	524/433.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 11:14
S8	2	Jp-2003193058-a.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 11:38
S9	101041	(Mg(OH)\$1 or Al(OH) \$1 or Mg(OH)".sub."\$1 or Al(OH)".sub."\$1 or (magnesium hydroxide) or (aluminum hydroxide) or (inorganic hydroxide))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 14:00
S10	51672	S9 and polymer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 14:13
S11	44703	S10 and weight	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 14:14
S12	41367	S11 and acid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 14:14

S13	2161	S12 and dielectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 14:14
S14	418	S13 and elastic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 14:15
S15	401	S14 and (styrene or olefin or polystyrene or polyolefin or propylene or ethylene)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 14:16
S16	391	S15 and (flame or fire or heat or thermal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 14:18
S17	385	S16 and (layer or coating or coated or film)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 14:28
S18	12	polymer coated inorganic filler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 14:37
S19	51	polymer near coated near inorganic near (filler or particle or particulate or hydroxide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 14:39
S20	18124	S9 and (inorganic- organic or organic- inorganic or (organic inorganic) or (inorganic organic))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 15:05

S21	13941	S20 and (styrene or olefin or ethylene or propylene)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 15:11
S22	3083	\$21 and (heat or flame or fire or temperature) near (retardant or retarding or resistant or resistance or proof)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 15:12
S23	2890	S22 and (resin or matrix)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 15:16
S24	12	S23 and Mgoh	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 16:08
S25	41457	("mgoh.sub.2") or (magnesium hydroxide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 16:09
S26	6610	S25 and monomer and styrene	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 16:09
S27	6433	S26 and polym\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 16:10
S28	5687	S26 and polymeriz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 16:10

S29	1678	S28 and coupling agent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 16:10
S30	669	S29 and flame retardant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 16:11
S31	2846	S25 with (coat\$3 or surface treat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 16:12
<b>S32</b>	165	S31 with styrene	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 16:12
<b>S</b> 33	34	S32 and flame retardant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/23 16:12
<b>S</b> 34	20	("4067847"   "4098762"   "4535106"   "4560719"   "4618654"   "4622350"   "4732939"   "4783504"   "4801639"   "4913965"   "4921916"   "4975486"   "5002996"   "5132350").PN. OR ("5296534").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/02/23 16:15
<b>S</b> 35	0	S34 and (elasticity or (elastic modulus))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/02/23 17:39
S36	2	S34 and dielectric	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/02/23 17:40
<b>S</b> 37	1	S34 and weight and loss and acid	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/02/23 17:41

S38	41472	("mgoh.sub.2") or (magnesium hydroxide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/25 16:08
S39	2848	S38 with (coat\$3 or surface treat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/25 16:08
S40	166	S39 with styrene	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/25 16:08
S41	0	S40 and ((thick or thickness) near (nm or nanometer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/25 16:09
S42	172	S38 and ((thick or thickness) near (nm or nanometer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/25 16:11
S43	148	S42 and acid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/25 16:11
S44	146	S43 and (coated or coating or film or layer or barrier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/25 16:12
S45	69	S43 and (flame or heat or fire) and (resistant or retardant or retarding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/25 16:13

S46	63	S45 and (styrene or polystyrene or olefin or polyolefin or propylene or polypropylene)	USPAT; USOCR;	ADJ	ON	2009/02/25 16:14
S47	7	"3592817"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 16:34

## 3/4/2009 10:54:11 AM

 $\textbf{C:} \ \textbf{Documents} \ \textbf{EAST} \ \textbf{Workspaces} \ \textbf{10583410} \ \textbf{initial.} \\ \textbf{wsp}$